

# NOVIRUCLEAN RTU<sup>1/30</sup>

*Disinfectant Cleaner & Deodorant*

3471



## DESCRIPTION

**NOVIRUCLEAN RTU<sup>1/30</sup>** is an ultra-broad spectrum **Bactericidal, Yeasticidal** and **Viricidal** spray & wipe disinfectant cleaner, that is effective against the most common disease-causing organisms often found in public transports, public areas and hospitals ie:, Flu, influenza A, H1N1, SARS, MERS, Coronavirus.

**NOVIRUCLEAN RTU<sup>1/30</sup>** effectively cleans, deodorizes and disinfects all hard surfaces reducing contamination by bacteria, yeast and Virus.

## APPLICATIONS



**NOVIRUCLEAN RTU<sup>1/30</sup>** is a 3-way action which effectively cleans, disinfects and deodorizes all inanimate, hard and non-porous surfaces such as stainless, laminates, aluminum and plastics, metal.

**NOVIRUCLEAN RTU<sup>1/30</sup>** is recommended for cleaning & disinfection of public transports ie : trains, bus, taxi, aircraft cabins surfaces, holding bars, seats, armrests, tray tables, seatback pockets, overhead compartments, crew rest area, control panels, telephones, waste bins, galleys, lavatory, waste tank, floors, walls, doors, panels ; general public areas i.e.: schools, office buildings, factories, gyms, cinemas, hotels, restaurants, hospitals & clinics etc.

## PRODUCT BENEFITS

- 3-way action : Cleans, Deodorizes and Disinfects.
- Bactericidal against gram± strains.
- Viricidal against all enveloped Virus & non-enveloped Virus (Adenovirus, Norovirus, Rotovirus).
- *No EDTA, no aldehyde.*
- Does not stain cabin interiors and plastics.
- Effective in hard or soft, hot and cold waters.
- Powerful cleaning action.
- Operator friendly thanks to low irritancy and mild apple fragrance.
- *Complies with European Biocides Regulation n°528/2012.*
- Economical

## PHYSICAL PROPERTIES

Appearance .....	Liquid
Colour .....	Clear
Odour .....	Green Apple
pH .....	7.0 – 7.5
Flash Point .....	Non-flammable
Coverage .....	35m <sup>2</sup> / L

## APPROVALS / CONFORMANCES

- AMS 1453, Disinfectant cleaner for aircraft interiors (general purpose liquid).
- AMS 1453A, Disinfectant cleaner for aircraft interiors (general purpose liquid).
- Boeing D6-7127 Rev P, Cleaning & disinfection of Commercial aircrafts category Disinfectants.
- Boeing BSS7434, Chemical Compatibility of Cleaning Products & Interior parts/Materials of Commercial Transport Aircraft.
- [Bombardier : interior grooming and disinfection.](#)
- [Royal Canadian Air Force : Aircraft Sanitation & Disinfection for COVID-19.](#)
- EU Biocides Regulation n°528/2012 (applicable 1<sup>st</sup> September 2013)



## MICROBIOLOGIC ACTIVITIES for NOVIRUCLEAN-3471 (NEAT)

### EN 1276:2019 – Bactericidal (phase 2, step 1)

“Chemical disinfectants and antiseptics - Quantitative suspension test for the evaluation of bactericidal activity of chemical disinfectants and antiseptics used in food, industrial, domestic and institutional areas.  $\log_{10}$

Test Organisms	ATCC No.	Organic Load (3.0 g/L bovine albumin)	Concentration	Exposed Time @ 20°C	Titer Reduction $\log_{10}$ (Efficacy %)
<i>Staphylococcus aureus</i>	ATCC 6538	Dirty Condition	0.5%	5 minutes	≥ 5.55 (99.999%)
<i>Enterococcus hirae</i>	ATCC 10541	Dirty Condition	0.5%	5 minutes	≥ 5.21 (99.999%)
<i>Escherichia coli</i>	ATCC 10536	Dirty Condition	0.5%	5 minutes	≥ 5.44 (99.999%)
<i>Pseudomonas aeruginosa</i>	ATCC 15442	Dirty Condition	0.5%	5 minutes	≥ 5.55 (99.999%)

### EN 1650:2019 – Yeasticidal (phase 2, step 1)

“Chemical disinfectants and antiseptics - Quantitative suspension test for the evaluation of fungicidal or yeasticidal activity of chemical disinfectants and antiseptics used in food, industrial, domestic and institutional areas – Test method and requirements

Test Organisms	ATCC No.	Organic Load (3.0 g/L bovine albumin)	Concentration	Exposed Time @ 20°C	Titer Reduction $\log_{10}$ (Efficacy %)
<i>Candida albicans</i>	ATCC 10231	Dirty Condition	0.5%	15 minutes	≥ 4.18 (99.99)

### EN 13697:2019 - Bactericidal & Yeasticidal (Phase 2, Step 2 : Test Method without Mechanical Action)

“Chemical disinfectants and antiseptics - “Quantitative Non-Porous Surface Test for the Evaluation of Bactericidal and/or Fungicidal Activity of Chemical Disinfectants Used in Food, Industrial, Domestic, and Institutional Areas.

Test Organisms	ATCC No.	Organic Load (3.0 g/L bovine albumin)	Concentration	Exposed Time @ 20°C	Titer Reduction $\log_{10}$ (Efficacy %)
<i>Staphylococcus aureus</i>	ATCC 6538	Dirty Condition	1.0%	15 minutes	≥ 6.44 (99.9999%)
<i>Enterococcus hirae</i>	ATCC 10541	Dirty Condition	1.0%	15 minutes	≥ 6.59 (99.9999%)
<i>Escherichia coli</i>	ATCC 10536	Dirty Condition	1.0%	15 minutes	≥ 6.78 (99.9999%)
<i>Pseudomonas aeruginosa</i>	ATCC 15442	Dirty Condition	1.0%	15 minutes	≥ 4.42 (99.99%)
<i>Candida albicans</i>	ATCC 10231	Dirty Condition	0.5%	15 minutes	≥ 3.28 (99.9%)

**Conclusion – Bactericidal & Yeasticidal**

Based on the above results and according to **EN 1276:2019** and **EN 13697:2019 NOVIRUCLEAN** demonstrates Bactericidal activities at 1.0% :

Gram- Strain	Gram+ Strain
<i>Acinetobacter baumannii</i>	<i>Enterococcus Hirae</i>
<i>Burkholderia cepacia</i>	<i>Methicillin resistant Staphylococcus aureus (MRSA)</i>
<i>Enterobacteriaceae (Carbapenem resistant) Klebsiella &amp; E. Coli (CRE)</i>	<i>Staphylococcus aureus subsp. aureus</i>
<i>Escherichia coli (O157:H7)</i>	<i>Streptococcus (PSWRP)</i>
<i>ESBL producing Klebsiella and E. coli</i>	<i>Vancomycin resistant Enterococci (VRE)</i>
<i>Klebsiella pneumoniae</i>	<i>Vancomycin Intermediate Resistant Staph aureus (VISA)</i>
<i>Pseudomonas aeruginosa</i>	<i>Vancomycin resistant Staph aureus (VRSA)</i>
<i>Salmonella Typhimurium &amp; Salmonella Enterica Subsp. Enterica</i>	
<i>Serratia marcescens</i>	
<i>Shigella dysenteriae</i>	
<i>Stenotrophomonas</i>	

Based on the above results and according to **EN 1650:2019** and **EN 13697:2019 NOVIRUCLEAN** demonstrates Yeasticidal activities at 0.5% :

Candiada Albican
------------------

**EN 14476+A2 :2019 – Viricidal (Phase 2, Step 1)**

Chemical disinfectants and antiseptics - "Quantitative suspension test for the evaluation of virucidal activity in the medical area

Test Organisms	ATCC No.	Organic Load (3.0 g/L BSA + 3 mL/L sheep erythrocytes)	Concentration	Exposed Time @ 30°C	Titer Reduction log <sub>10</sub> (Efficacy %)
Human Coronavirus <sup>1</sup> (strain 229 E)	ATCC VR-740	Dirty Condition	2.8% (1:35)	10 minutes	≥ 4.25 (99.99%)
Murine Norovirus (strain S99)	ATCC TIB-71	Dirty Condition	2.8% (1:35)	10 minutes	≥ 4.12 (99.99%)
Human Adenovirus type 5, (adenoid strain 75)	ATCC VR-5	Dirty Condition	3.3% (1:30) <sup>2</sup>	10 minutes	≥ 4.37 (99.99%)

<sup>1</sup> Human Coronavirus (229 E strain), genetically close to the SARS-CoV-2 (COVID-19),

**Conclusion – Viricidal**

Based on the above results and according to **EN 14476+A2 (2019)** and **ANSES** (French Agency for Food, Environmental and Occupational Health & Safety) **NOVIRUCLEAN** demonstrates viricidal activities on:

All Enveloped Virus : (at concentration 3.3% following a 10 minutes exposure time at 30°C)

<i>Bovine Viral Diarrhea Virus (BVDV)</i>	<i>Bovine Rhinotracheitis</i>	<i>Canine Distemper Virus</i>
<i>Coronavirus : MERS, SARS-Cov1, SARS-CoV2 (COVID-19)</i>	<i>Ebolavirus</i>	<i>Feline Picornavirus</i>
<i>Hepatitis B Virus (HBV)</i>	<i>Hepatitis C Virus (HCV)</i>	<i>Herpes Simplex Type 1 &amp; Type 2</i>
<i>Human Immunodeficiency Virus (HIV-1) / (HIV-2)</i>	<i>Influenza Avian Influenza A (H1N1), (H2N2), (H3N2), (H3N2), (H5N1), (H9N2)</i>	<i>Paramyxovirus (Mumps)</i>

Pertussi Virus ( <i>Bordetella pertussis</i> )( <i>Whooping cough</i> )	Porcine Respiratory & Reproductive Syndrome Virus (PRRSV)	<i>Rabies Virus</i>
Respiratory Syncytial Virus (RSV)		

Non-enveloped Virus : (at concentration 3.3% following a 10 minutes exposure time at 30°C)

<i>Adenovirus</i>	<i>Norovirus</i>	<i>Rotavirus</i>
-------------------	------------------	------------------

**DIRECTION FOR USE**

**Spray and Wipe application:**

**For general cleaning:**

Simply spray **NOVIRUCLEAN RTU<sup>1/30</sup>** on surface to be cleaned and wipes off with a clean cloth. No preparation of the surface is necessary. **NOVIRUCLEAN RTU<sup>1/30</sup>** easily removes marks, smudges, light soils and fingerprints.

**For disinfection:**

Spray **NOVIRUCLEAN RTU<sup>1/30</sup>** on the surface and allow a contact time of at least 10 minutes before wiping off with a clean cloth.

[\\* 3471 NOVIRUCLEAN RTU<sup>1/30</sup> has been included in National Environment Agency \(Singapore\) - NEA's Interim List of Household Products Effective Against Coronavirus.](#)

**MATERIALS OF CONSTRUCTION COMPATABILITY**

Safe for use on all materials used in the construction of aircraft and aircraft toilets, both re-circulating and vacuum type.

**STORAGE & SAFETY**

Two year in original packaging in a cool and dry place. **NON-HAZARDOUS**. Avoid contact with eyes and skin. Wear safety glasses if splashing is likely to occur. Wear rubber gloves if prolonged skin contact is expected. **Product reserved for professional use only. Use biocides with caution.**

**For further information please refer to the Safety Data Sheet.**

**PACKAGING**

- Ref: A-3471-F6..... Bottle 500ml x 6
- Ref: A-3471-R1 ..... Jerry Can 5L x 4
- Ref: A-3471-R2 ..... Pail 25L

**WARRANTY**

*The information contained herein is presented without guarantee or warranty and the Seller disclaims any liability incurred from the use thereof. Nothing contained herein is to be construed as a recommendation for any use in a commercial process not controlled by the Seller, nor for a use which is in violation of any existing patent, foreign or domestic, or of applicable laws and regulations. THE SELLER MARKS NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OR MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, EXCEPT AS EXPRESSLY STATED IN SELLER'S SALES CONTRACT OR SALES ACKNOWLEDGEMENT FORM.*