

TECHNICAL DATA SHEET





KLEANER POWERFUL DRY GREASE REMOVER

FOR PLASTICS

DEFINITION

KLEANER is a fast-acting dry grease remover for all surfaces. Does not degrade plastics. **KLEANER** removes oil from all surfaces, dissolves greasy residue and removes harmful impurities easily thanks to its formula and its powerful jet.

KLEANER was specially formulated to replace TRICHLORETHANE 111.

APPLICATIONS

KLEANER cleans:

- Metal surfaces: mechanical parts, locks, engines, etc.
- Synthetic surfaces: plastics (a preliminary test is recommended given the large variety of polymers).
- Electrical and electronic devices, printed circuit boards, relays, micro-contacts (disconnected from power source).
- Various mechanisms and piping where a clean and dry surface is essential.
- Surfaces before applying inks, paints, glues, seams and crack detectors.

PRODUCT BENEFITS

- Cleans and evaporates quickly and completely.
- Powerful spray; aerosol is equipped with a special nozzle.
- Contains no chlorinated solvent; contains no solvent that is toxic to humans or to the environment.
- Specially adapted for cleaning parts before bonding and painting, as well as cleaning printed circuit boards.
- Can be used on most plastics and fragile materials.
- Leaves a pleasant fragrance.

TECHNICAL CHARACTERISTICS

Aspect	
Odour	green apple
Colour	colourless
Density (ASTM D4052)	0.720
Evaporation rate (ether = 1)	5
Kauri-Butanol Index	

Orapi Applied (S) Pte Ltd

No 26 Tuas Avenue 13 Singapore 638992 Tel: +65 6265 2888 | Fax: +65 6268 6474 **Website: www.orapiasia.com**



TDS 503 / 003 - 20/08/2019

1/2

The ORAPI Group designs, manufactures and markets "Highly Technical Solutions" for Maintenance Repair and overhaul of machines and equipments. The Group is present in over 100 countries with 32 subsidiaries and an international network of import-distributors. The Group operates 7 manufacturing plants and 4 laboratories of R&D. ORAPI is certified ISO 9001 and ISO 14001.



TECHNICAL DATA SHEET

DIRECTIONS FOR USE

Spray the product onto the surface and allow to work for a few seconds. If necessary, wipe with a clean cloth. Repeat, if needed, for stubborn dirt or stains.

STORAGE & SAFETY

At least two years in its original packaging between 5° C and 25°C. Keep in a dry place. Irritant. Avoid contact with eyes. Keep out of reach of children

For further information, please consult the Materials Safety Data Sheet

PACKAGING

650 ml aerosol Ref. O 503 A4 x 12

WARRANTY

The information contained herein is presented without guarantee or warranty and the Seller disclaims any liability incurred from the use thereof. Nothing contained herein is to be construed as a recommendation for any use in a commercial process not controlled by the Seller, nor for a use which is in violation of any existing patent, foreign or domestic, or of applicable laws and regulations. THE SELLER MARKS NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OR MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, EXCEPT AS EXPRESSLY STATED IN SELLER'S SALES CONTRACT OR SALES ACKNOWLEDGEMENT FORM.

Website: www.orapiasia.com



TDS 503 / 003 - 20/08/2019

2/2

The ORAPI Group designs, manufactures and markets "Highly Technical Solutions" for Maintenance Repair and overhaul of machines and equipments. The Group is present in over 100 countries with 32 subsidiaries and an international network of import-distributors. The Group operates 7 manufacturing plants and 4 laboratories of R&D. ORAPI is certified ISO 9001 and ISO 14001.