



# FOOD PROCESSING ESSENTIALS



**General  
Food  
Industries**



**The Right Product at the right place**

*Professional Sanitation Solutions for the Food Processing Industries*



**ORAPI**  
HYGIENE SOLUTIONS WORLDWIDE



## OPEN PLANT CLEANING





|   |  |   |
|---|--|---|
| <b>5715</b>   | <b>ALCALATHER</b><br><b>Strongly Alkaline Foam Cleaner</b> |   |
| <p>Powerful alkaline foam cleaner, blend of surfactants, <b>corrosion inhibitors</b>, and <b>water conditioning sequestrants</b> formulated to dissolve and <b>remove fats, proteins and soils deposited on equipment surfaces. Excellent detergency and high foaming.</b> Suitable for use in hard water. <b>Prevents immediate re-rusting.</b> Does not attack ceramics, plastic and stainless steel materials.</p> |  |   |
| <p>Not recommended to use on aluminum, tin, zinc or other non-ferrous materials. Designed for use in all food production areas, catering and food processing industries. Ideal to use with Foaming or Pressure water systems. <b>Economical dilution.</b></p>   |  |   |
| <p><b>Colour:</b> Pale Yellow.<br/> <b>Dilution:</b> 0.5 to 5.0%<br/> <b>pH:</b> 14 ± 0.5</p>   |  |   |
| <b>OH 5715 02</b>   |  | 25L   |
| <b>OH 5715 U2</b>   |  | 205L  |

|   |  |   |
|---|--|---|
| <b>4333</b>   | <b>HI CHLOR</b><br><b>Alkaline Chlorinated Detergent &amp; Sanitiser</b> |   |
| <p>Heavy duty <b>self-foaming chlorinated alkaline detergent</b>, designed for effective <b>removal of fat, blood</b> and other proteinaceous soils commonly encountered in food processing areas. Provides excellent cleaning results <b>on chopping boards, food contact surfaces, equipment, walls, floors.</b> Use by spray, soak or foaming equipment.</p> |  |   |
| <p>Safe on all stainless steel when used at recommended concentrations.</p>   |  |   |
| <p><b>Registered NSF A1.</b><br/> <b>Colour:</b> Pale straw.<br/> <b>Dilution:</b> 20 - 25 g/L<br/> <b>Av. Cl2:</b> 4.0 - 4.7%</p>  |  |   |
| <b>OH 4333 R2</b>   |  | 25L RTU   |
| <b>OH 4333 02</b>   |  | 25L   |



|   |   |   |
|---|---|---|
| <b>4432</b>   | <b>SURFAKLEEN AL</b><br><b>Mildly Alkaline Foam Cleaner</b> |   |
| <p><b>Concentrated multi-surface soft-metal safe cleaner</b> designed for the <b>daily cleaning</b> of production equipment (tanks, cooking vessels, pipings...), ventilation exhaust systems, floors, walls, transportation vehicles interior, containers and all food contact surfaces. Suitable for hard and soft waters. Safe on all ferrous and non-</p> |   |   |
| <p>ferrous equipment. Use by soaking, scrub, spray, pressurise washing machine or foaming equipment.</p>  |   |   |
| <p><b>Odourless. Registered NSF A1.</b><br/> <b>Colour:</b> Pale Yellow.<br/> <b>Dilution:</b> 10 to 200 ml / L<br/> <b>pH (10%):</b> 8.8 - 9.2</p>   |   |   |
| <b>OH 4432 02</b>   |   | 25L   |
| <b>OH 4432 R2</b>   |   | 25L RTU   |



|   |   |   |
|---|---|---|
| <b>4772</b>   | <b>CAPTURE</b><br><b>Neutral Foam Detergent</b> |   |
| <p><b>Concentrated neutral pH liquid</b> formulated for the daily cleaning of surfaces and equipment in food production areas. Excellent cleaning of greasy soils and grimes. Good foaming properties and easy to rinse. Walls, floors, transportation vehicles interior, benches, porcelain, glasses, metals, manual pots &amp; pans washing, etc.</p> |   |   |
| <p>Safe to be used on all equipment surfaces. Highly cost effective.</p>  |   |   |
| <p><b>Odourless. Registered NSF A1.</b><br/> <b>Colour:</b> Clear Green.<br/> <b>Dilution:</b> 5 to 25ml / L.<br/> <b>pH (Neat):</b> 7.5 ± 0.5</p>  |   |   |
| <b>OH 4772 J1</b>   |   | 5L x 4  |
| <b>OH 4772 02</b>   |   | 25L   |


|  |  |   |
|--|--|---|
| <b>2558</b>  | <b>AGRO 200M</b><br><b>High-Foaming Acid Detergent</b> |   |
| <p><b>Concentrated extra-strength acid base foaming detergent</b>, blend of non-fuming acids, biodegradable high foaming wetting agents and sequestrants, formulated for daily and periodic cleaning applications. Rapid penetration and removal of hard water scale and protein deposits. Good rinsing properties. Brightens aluminium, galvanised and stainless steel. Ideal for use on cooking vessels,</p> |  |   |
| <p>exteriors of filler equipment, storage tanks, conveyors, in canneries, dairies, bakeries, seafood plants, wineries, meat and poultry processing plants. Ideal for use with foaming equipment. Extremely Economical.</p>   |  |   |
| <p><b>Colour:</b> Pale straw.<br/> <b>Dilution:</b> 2.0% to 4.0%<br/> <b>pH (1%):</b> 1.8 ± 0.2</p>  |  |   |
| <b>OH 2558 02</b>  |  | 25L   |



## CLEAN IN PLACE



|   |  |   |
|---|--|---|
| <b>5740</b>   | <b>TRANSFORM PLUS</b><br><b>Highly Alkaline low foam CIP Cleaner</b> |   |
| <p>Heavy duty detergent, blend of sodium hydroxide, wetting agents and sequestrants formulated <b>for the removal of heat modified, greasy and oily soils by CIP applications.</b> Quick penetration to provide a hygienic and brightened finish. <b>Low foam characteristic with good rinsing properties.</b> Safe on all stainless steel, cast iron, ferrous. <b>Cleans without disassembly</b> the interior surfaces of tanks,</p> |  |   |
| <p>vessels, kettles, vacreators, pasteurisers, pipelines, separators, bottling machines, evaporators and heat exchangers in the dairy, breweries, wineries and general food processing industries. Extremely Economical.</p>  |  |   |
| <p><b>Colour:</b> Pale yellow.<br/> <b>Dilution:</b> 0.5% - 5%<br/> <b>pH (1%):</b> 13.5 ± 0.5</p>  |  |   |
| <b>OH 5740 02</b>   |  | 25L   |
| <b>OH 5740 U2</b>   |  | 205L  |

|   |   |   |
|---|---|---|
| <b>5923</b>   | <b>SPECTRUM</b><br><b>Alkaline low foam CIP Cleaner</b> |   |
| <p>Alkaline detergent, formulated for <b>effective degreasing, derusting and decarbonizing</b> of equipments and machines in food processing industry. <b>Quickly removes rust, grease, carbon, burnt-on oils and fats</b> on production equipment (tanks, centrifuges, piping...), grinders, ovens and cooking equipment. Prevents immediate re-rusting. Designed for use in abattoirs, poultry,</p> |   |   |
| <p>seafood processing, dairies, beverages and breweries industries. Safe on stainless steel surfaces. Highly cost effective.</p>  |   |   |
| <p><b>Registered NSF A1.</b><br/> <b>Colour:</b> Hazy.<br/> <b>Dilution:</b> 0.3% - 0.8%<br/> <b>pH (1%):</b> 12.9 ± 0.5</p>  |   |   |
| <b>OH 5923 02</b>   |   | 25L   |
| <b>OH 5923 U2</b>   |   | 205L  |


|   |   |   |
|---|---|---|
| <b>3865</b>   | <b>OXYSAN</b><br><b>Peracetic Sanitizer</b> |   |
| <p>Blend of <b>peracetic acid</b> and <b>accelerated hydrogen peroxide liquid sanitizer</b>, formulated for the sanitation of all food contact surfaces and CIP sanitizing without requiring any post rinsing. Designed for <b>CIP acid and sanitizing steps, thus saving time, utilities, water and manpower.</b> Exhibits excellent bactericidal (gram± strains),</p> |   |   |
| <p>fungicidal and yeasticidal activities. <b>Does not leave residue.</b> Effectives at low concentrations. No carryover of taste or smell. Ideal for use in dairies, beverages, breweries, food processing industries. Extremely effective and economical in use-cost.</p>  |   |   |
| <p><b>Colour:</b> Clear. <b>Dilution:</b> 1:200 to 1:1000<br/> <b>pH (1%):</b> max 3.</p>   |   |   |
| <b>OH 3865 J1</b>   |   | 5L x 4  |

|   |  |   |
|---|--|---|
| <b>2581</b>   | <b>NITROPHOS II</b><br><b>Acid CIP Detergent</b> |   |
| <p><b>Low foaming CIP acid phase detergent</b>, blend of nitric acid, biodegradable wetting agents and sequestrants <b>formulation.</b> Rapid penetration and <b>removal of greasy films and calcium deposits</b>, (milkstone, beer-stone, water-scale). <b>Excellent rinsing properties.</b> Safe on all stainless steel equipment. <b>Cleans in-situ</b>, interior surfaces of tanks,</p> |  |   |
| <p>vessels, kettles, vacreators, pasteurisers, pipelines, separators, bottling machines, evaporators and heat exchangers in the dairy, breweries, beverages, wineries and general food processing industries. <b>Extremely Economical use-cost.</b></p>   |  |   |
| <p><b>Colour:</b> Colourless.<br/> <b>Dilution:</b> 0.1% to 1.0%. <b>pH:</b> 0.75 ± 0.25</p>  |  |   |
| <b>OH 2581 02</b>   |  | 25L   |
| <b>OH 2581 U2</b>   |  | 205L  |

|  |  |   |
|--|--|---|
| <b>2420</b>  | <b>ACIDIQUAT-NF</b><br><b>Acid CIP Cleaner &amp; Sanitizer</b> |   |
| <p><b>Low foaming solution</b>, blend of <b>organic acids</b>, quaternary ammonium chloride, fat solubilizer and surfactants. Formulated for <b>single phase CIP cleaning &amp; sanitation</b> in the food processing, dairies, beverages and breweries industries. <b>Effective for removing protein films, milk stone and beer-stone deposits.</b> For sanitising in one process</p> |  |   |
| <p>cream silos, buttermilk, sausage and areas where <b>risk of E-coli and Listeria are commonly present.</b> Hard water tolerant. Extremely cost effective.</p>  |  |   |
| <p><b>Colour:</b> Colourless.<br/> <b>Dilution:</b> 0.25% v/v.<br/> <b>Acidity %:</b> 21.8 ± 1.0</p>   |  |   |
| <b>OH 2420 02</b>  |  | 25L   |



## DISINFECTION



### 4978 OPAL Chlorine Sanitiser

**Low foaming chlorinated sanitiser** formulated for effective cleaning & disinfection of surfaces and equipment. **Reduces 99.9% of pathogenic microorganisms** (E-coli, Salmonella, Listeria...), insects and **soils**. For use in food processing plants, caterings, restaurants, beverages, dairies & breweries. For cutting boards, trays, walls and benches, **fruits and vegetables**.

Not for use on aluminium and galvanised surfaces. **Requires no rinsing when used at 200ppm and below concentration.** **Registered NSF D2 & 3D.** **Colour:** Pale straw **Dilution:** up to 5ml /L (200 ppm) **pH:** 12.7 ± 0.2

OH 4978 J1

5L x 4

### 3342 DISAKLEEN Detergent Disinfectant

**Foaming detergent**, blend of **biodegradable surfactants**, sequestrants and **quatary ammonium compounds**, developed for single-stage cleaning & disinfection. Highly effective against micro-organisms: gram +/-, bacteria and yeasts. Removes soils, grease, food stains and eliminates odours. Suitable for use in hard and soft water. Recommended for floors, walls, kitchen utensils, equipment, and food contact surfaces in meat, poultry or fish processors,

caterings, dairies, beverage plants. Used manually, by soak or foam spray application. Safe on all surfaces. Odourless and non-corrosive. Highly cost effective. **Registered NSF D2.** **Bactericidal:** EN 1276 (5 min). **Colour:** Colourless **Dilution:** 0.5 - 4%. **pH (10%):** 7.0 ± 0.1

OH 3342 02

25L

### 3300 DESTINY Food Contact Surfaces disinfectant

Broad spectrum QAC based concentrated disinfectant. Effectively kills micro-organic growth at very low concentration. Bactericidal against gram± strains. Yeastcidal and Viricidal action. Recommended for **sterilising surfaces and footwear bath** in abattoirs, fisheries, poultries, breweries,

dairies, etc. Application by spraying, foaming, wiping or fogging. **Odourless**, non-toxic, and non-corrosive. **Registered NSF D2 & Q3.** **Colour:** Colourless. **Dilution:** 1 to 2ml / L **pH (Neat):** 7.8 ± 0.2

OH 3300 02

25L

OH 3300 R1

5L X 4 (DESTINY RTU 1/200)

### 3871 CHLORSAN 150 Disinfecting Tablets

**Effervescent chlorine release tablets.** Provides a powerful disinfecting solution **effective against all micro-organisms** : ie lysteria, Monocytogenes bacteria, moulds, yeast and viruses. Recommended for all hard surfaces in food processing, caterings, kitchens : **fruits and vegetable, blood spillage**, floors, walls, equipment preparations, drains,

bath and lavatory, etc. Provides a safe and stable form of chlorine. Easy to use and economical. **Registered NSF D2.** **Colour:** White **Dilution:** 1 tablet / 10 litres water = 150 ppm Av. Chlor. **pH (1%):** 6.5 ± 0.5

OH 3871 B6

12 x 500Gm (150 tabs of 3.35gm)

### 8107 ERGASPRAY SR+ Alcohol Based Surface disinfectant

**Ready-to-use non-rinse disinfectant with fast drying action.** Formulated to effectively **disinfect all surfaces and equipment** which may come in contact with foodstuffs. Bactericidal, fungicidal and virucidal activities. For use in kitchens, caterings, food processing, beverages, breweries, and dairies plants. **Safe on all metal surfaces**,

aluminum, stainless steel, porcelain and plastics. **Leaves no residue.** **Registered NSF D2.** **EN 1040, EN 1276, EN 1650, EN 14476.** **Colour:** Colourless.

OH 8107 J1

5L x 4

## EQUIPMENT CARE



### 5714 DECARBOKLEEN Concentrated Oven & Grill Cleaner

**Powerful alkaline cleaner**, formulated for effective degreasing and decarbonising grills, ovens, fryers, pans, etc. Quickly penetrates to remove burnt oils, fats, greases and carbonised deposits from surfaces. **Prevent immediate re-rusting, rinse-free.** Used in all food areas, catering and food processing industries. **Safe on stainless steel**, ferrous and non-ferrous

metal. **Registered NSF A8.** **Colour:** Pale Yellow **Dilution:** up to 1:10 **NaOH:** 26.0 ± 0.7

OH 5714 J1

5L x 4

### 5711 ALKAKLEEN Alkaline Cleaner

Alkaline liquid detergent, designed for **effective cleaning and decarbonising of pans, grills, ovens, fryers** etc. Quickly penetrates to remove burnt oils, fats, greases and carbonised deposits from surfaces. **Prevent immediate re-rusting, rinse-free.** Used in all food areas, catering and food processing industries. **Safe on stainless**

steel, ferrous and non-ferrous metal. **Registered NSF A8.** **Colour:** Pale yellow / brown **Dilution:** up to 1:10 **Na<sub>2</sub>O:** 12.5 - 13.5

OH 5711 J1

5L x 4

OH 5711 02

25L

### 4022 BIO SOL Non-caustic Food Surfaces Renovator

Heavy duty alkaline cleaner formulated to **remove food fats, grease deposits** from food contact surfaces and equipment in kitchen and food processing industry. Effective on ovens, grillers, fryers, **Teflon® stoves**, pans, filters, hoods and other food cooking apparatus.

**Safe on stainless steel, Aluminium, Teflon** and other **non-ferrous** materials. Used by soaking, scrub or spray. **Odourless.** **Colour:** Fluorescent Green **Dilution:** up to 1:12. **pH (10%) :** 12.0 - 12.5

OH 4022 J1

5L x 4

OH 4022 02

25L

### 8020 SHEEN Stainless Steel Renovator

Ready-to-use viscous liquid designed for **cleaning and polishing stainless steel surfaces.** Provides a bright shine finish to all stainless steel surfaces. **Protects surfaces from oxidation and corrosion.** Designed for use on refrigerators, equipment, freezers and all stainless steel equipment exterior surfaces.

**Odourless.** **Colour:** Colourless. **Registered NSF A7.**

OH 8020 F6

500ml x 6

### 2670 LIMEX Low foaming Acid Renovator

Concentrated **low foaming liquid**, blend of **organic acids and corrosion inhibitors** formulated for effective removal of **rust, lime and calcium deposits** from iron, steel or stainless steel parts. Fast acting and tackles stubborn soils. Brightens of stainless steel and leaves a protecting phosphating film. Saves time and labour cost.

**Registered NSF A3.** **Colour:** Clear Green **Dilution:** 0.5-25% **Acidity:** 28-32%

OH 2670 J1

5L x 4

## WAREWASHING



### 5314 REBOUND Chlorinated Alkaline Detergent for Spray Washing

**Low foaming liquid**, formulated for **spray washing machines** such as **crate washers, food equipment washers and CIP**. Provides **outstanding economy and performance** to tackle proteins, starches and stubborn grimes. Care should be taken on aluminium, zinc and its alloys.

Use with automatic proportional dilution dispenser.

**Registered NSF A1.**  
**Colour:** Yellow  
**Dilution:** 2 - 5gm/L  
**pH (1%):** 12.5 ± 0.5

|            |        |
|------------|--------|
| OH 5314 J1 | 5L x 4 |
| OH 5314 O2 | 25L    |

### 4942 OVACHLOR Powered Chlorine Detergent Sanitiser

**Non foaming Chlorine detergent powder**, formulated to **clean, sanitize and bleach** in one single operation. Bactericidal and fungicide properties. Recommended for use in Caterings, food processing, such as dairies, beverage, breweries on food preparation areas, kitchen wares, chopping boards, cutlery, crockery, plastic ware, tea and coffee pots, equipment, sinks etc.

**Excellent deodorizing ability.** Used by soaking or brushing.

**Registered NSF D2.**  
**Bactericidal:** EN 1276 (5 min)  
**Colour:** Pink.  
**Dilution:** 4 to 8g/L  
**Av. Cl2:** 2.15% ± 0.15  
**pH (1%):** 11.75 ± 0.25

|            |      |
|------------|------|
| OH 4942 S3 | 10Kg |
|------------|------|

### 4772 CAPTURE Neutral Foam Detergent

**Concentrated liquid** formulated for the daily cleaning of surfaces and equipment in food areas. Excellent cleaning of greasy soils and grimes. **Good foaming properties and easy to rinse.** Walls, floors, lorry interiors, benches, porcelain, glasses, metals, manual dishwashing of pots and pans etc. **Safe to be used on any surfaces.** Highly cost effective. Odourless.

**Registered NSF A1.**  
**Colour:** Clear Green  
**Dilution:** 5 to 25ml / L  
**pH (Neat):** 7.5 ± 0.5

|            |        |
|------------|--------|
| OH 4772 J1 | 5L x 4 |
| OH 4772 O2 | 25L    |

### 333 LIZA Bactericidal Washing-up Detergent

**One step cleaner sanitiser for manual hand washing.** Contains anti-bacterial properties which are **effective against a wide range of microorganisms** for maximum hygiene. Recommended for applications in catering and food processing areas. Non-tainting.

**Non-corrosive**, safe on all surfaces. **Odourless.**

**Registered NSF D2.**  
**Colour:** Clear Green.  
**Dilution:** 2 to 50 ml/ L.  
**pH (10%):** 7.1 ± 0.5

|           |        |
|-----------|--------|
| A 0333 J1 | 5L x 4 |
| A 0333 O2 | 25L    |

### 3294 VANISH Rinse Additive

**Low foam rinse additive liquid** for automatic dishwashing machines. Designed to neutralize any remaining alkaline residue deposits in both hard and soft water conditions. Improves drying with streak and spot free results on glasses & dishwares. **Prevents scale** build up on machine parts. Use with automatic proportional dilution dispenser.

**Registered NSF A1.**  
**Colour:** Clear Red  
**Dilution:** 0.2 - 0.5ml/L  
**pH (1%):** 3.2 ± 0.3

|            |        |
|------------|--------|
| OH 3294 J1 | 5L x 4 |
| OH 3294 O2 | 25L    |

## ODOUR CONTROL



### 1070 PINEFECT Surface Disinfectant & Deodorizer

Versatile quaternary ammonium based detergent, formulated to **renovate, deodorize and disinfect** all surfaces in one operation. **Virucide, germicide and bactericide** against gram-positive and gram negative bacteria. Use on garbage compactors, garbage cans, garbage trucks, floors, walls, drains, tiles, linoleums, sinks, washroom areas, furniture.

**Leaves a pleasant pine odour.**  
**Colour:** Dark Blue  
**Dilution:** 6 - 35ml/L  
**pH:** 10.5 ± 0.5

|            |        |
|------------|--------|
| OH 1070 J1 | 5L x 4 |
| OH 1070 O2 | 25L    |

### 7883 KLEENZYM Multi-Surface Cleaner & Deodoriser

Biologically active neutral agent, **blend of microorganisms and soil eliminating enzymes** formulated for safe cleaning and deodorizing of all surfaces. **Neutralise unpleasant odours, fungus and germs** breeding and **leaves a fresh floral odour.** Designed for use on hard surfaces, carpets and upholstery to clean and deodorize urine, pets excretion, vomit, beverages, coffee, milk, stains, etc. Non-corrosive.

**Colour:** Milky Green  
**Dilution:** 30 - 100ml/L  
**pH:** 7.5 ± 0.5

|            |     |
|------------|-----|
| OH 7883 J3 | 10L |
|------------|-----|

### 9023 DRAIN GUARD Drain Cleaner & Deodoriser

**Biological liquid cleaner based on bacteria and enzymes.** Digest sludge, grease, proteins, starch and cellulose keeping drains clog-free. **Prevents pipes blockages and malodours caused by organic deposits and bacteria.** Reduces the need for mechanical cleaning.

For use in grease traps, drains and lines, drains, septic systems. Effective to reduce BOD and COD in waste water treatment system.

**Non-corrosive.**  
**Colour:** Milky Orange  
**pH:** 7.2 ± 0.3

|            |     |
|------------|-----|
| OH 9023 J3 | 10L |
|------------|-----|

### 3340 RINCON Economy Detergent Sanitizer

**Neutral sanitising detergent** formulated for **effective cleaning and disinfection** of surfaces in food areas. Contains **QAC to reduce bacteria** to an acceptable hygienic level. Removes soils, grease, food stains and **eliminates odours** in one operation. Recommended for kitchens, food processing plants, food transport vehicles, containers etc.

**Registered NSF D2. Odourless and non-toxic.** **Colour:** Clear Pink. **Dilution:** up to 1:50

**pH:** 7.3 ± 0.2

|            |                |
|------------|----------------|
| OH 3340 R1 | 5L x 4 RTU1/30 |
| OH 3340 J1 | 5L x 4         |
| OH 3340 O2 | 25L            |

### 3120 BULLDOG GOLD Heavy Duty Fleet Wash

Multi-purpose **mild alkaline detergent cleaner**, blend of complex surfactants, sequestering agents, **corrosion inhibitors** and **natural solvent**, formulated to remove dirt, soils, grease and oil and road grime from **trucks and buses**. High foaming action. **Does not leave streaks. Safe on all metals, paintwork, chrome, glass, aluminium and plastic curtains.**

Suitable for use in **automatic car and truck wash installations.** May be applied with a HV & LV foamer, sponge, brush or with high pressure equipment. **Non-flammable.** Economical.

**Dilution:** up to 1:50  
**Colour:** Bright fluorescent Yellow  
**pH (1 %):** 9.6 ± 0.3

|           |      |
|-----------|------|
| A 3120 O2 | 25L  |
| A 3120 U2 | 205L |



## PERSONAL HYGIENE




**1875**
**MANEKLIN® GHA**  
**Hydroalcoholic Gel for Hand Disinfection**


Ready to use thixotropic gel for **hygienic treatment and surgical disinfection of hands by rubbing**. **Non-greasy and non-sticky formula**. Contains humectants to keep hands soft. Hypoallergenic. For use in hospitals, veterinary clinics, schools and offices, kitchens, food processing plants, manufacturing plants etc. **Fragrance free. Bactericidal:** EN 13727 (30s).

**Yeasticidal:** EN 13624 (30s). **Virucidal:** EN 14476 on H1N1 (60 sec.), BVDV (30 Sec.) (C hepatitis) (60sec.), PRV (B hepatitis) (60 sec.), Norovirus (60 sec.) and Adenovirus (90 sec). Hygienic treatment by friction: EN 1500 (4 ml – 60 sec.) ; Hand surgical disinfection by friction: EN 12791 (2 x 4 ml – 2\*60 sec.). **Colour:** Colourless. **pH:** 6.5 ± 0.5


|                   |                   |
|-------------------|-------------------|
| <b>OH 1875 I1</b> | 500ml x 6         |
| <b>OH 1875 P2</b> | 800ml x 6 (pouch) |
| <b>OH 1875 J1</b> | 5L x 4            |





**1876**
**MANEKLIN® SHA**  
**Hydroalcoholic Solution for Hand Disinfection**


Ready to use solution for **hygienic treatment and surgical disinfection of hands by rubbing**. **Non-greasy and non-sticky formula**. Contains humectants to keep hands soft. Hypoallergenic. For use in hospitals, veterinary clinics, schools and offices, kitchens, food processing plants, manufacturing plants etc. **Fragrance free. Bactericidal:** EN 13727 (30s). **Yeasticidal:** EN 13624 (30s). **Virucidal:** EN 14476 on H1N1 (60 sec.), BVDV (30 Sec.) (C hepatitis) (60sec.), PRV (B hepatitis) (60 sec.), Norovirus (60 sec.) and Adenovirus (90 sec). Hygienic treatment by friction: EN 1500 (4 ml – 60 sec.) ; Hand surgical disinfection by friction: EN 12791 (2 x 4 ml – 2\*60 sec.). **Colour:** Colourless **pH:** 6.5 ± 0.5

|                   |        |
|-------------------|--------|
| <b>OH 1876 J1</b> | 5L x 4 |
|-------------------|--------|





**3012**
**SANISOFT**  
**Anti-Bacterial Hand Washing Lotion**



Smooth antibacterial hand washing lotion, designed for **frequent uses** where strict personal hygiene is required: caterings, food processing, fast food outlets etc. High ability to remove fatty and proteinaceous soils. Prevents bacteria growth. Leaves hands clean and feeling soft throughout the day.

Non-perfumed. **Colour:** Clear Colourless **pH:** 7 ± 1


|                   |        |
|-------------------|--------|
| <b>OH 3012 J1</b> | 5L x 4 |
|-------------------|--------|




**3931**
**BACFREE**  
**Economy Bactericidal Hand Cleaner**


Heavy-bodied anti-bacterial hand cleaner formulated for light duty application. **Retards bacteria growth** on inanimate surfaces to **limit cross infection**. Recommended for use where **strict personal hygiene** is required – fast food outlets, canteens, etc. Very economical. **Contains no perfume. Non-irritating, neutral pH.** **Colour:** Clear Green. **pH (1%):** 5.5 – 7.5


|                  |        |
|------------------|--------|
| <b>A 3931 J1</b> | 5L x 4 |
|------------------|--------|



## Dosing Equipment

**1230**
**GELFLOW**


Modern polycarbonate **dispenser for 800ml anti-septic gel** cartridge. Suitable for kitchens, washrooms and industrial workplaces. Easy to operate and maintain. Display window for soap level. **Lockable. 4 1230 V3**

**1232**
**SOAPFLOW**


**Robust 1L dispenser** suitable for kitchens, washrooms and industrial workplaces. Flexible to fill liquid products such as washing-up detergent, hand soap, body bath and shampoo. Easy to operate and maintain. Equipped with a 1ml pump. Easy to clean. Display window for soap level. **4 1232 V3**

## OPERATIONAL HYGIENE PROGRAMS & SYSTEMS



### Protecting your brand

At **ORAPI**, safety is of paramount importance in everything we do and goes well beyond the products we manufacture. It extends to the safety of your employees, protection of the environment, and most importantly, the safety of your food products for your consumers. A successful food safety and sanitation program is the top priority of every food processing operation and **ORAPI** is prepared to support that effort. Your staff will benefit from **ORAPI's**

programs and systems that are custom designed specifically for your facility to enhance your overall microbial control program to prepare your operation to meet or maintain **HACCP** or **HALAL** compliance requirements. The comprehensive program includes a multifaceted approach lead by our Hygiene experts. This kind of customer collaboration is the cornerstone of our success in the food industry.

### PARTNER® Food Safety & Sanitation Program



#### Food Safety & Quality Assurance Program

- GMP gap assessment - HACCP audits (Risks, CCP, Hygiene SOP)
- Regulatory review assessments
- Quarterly plant inspection reports
- Educational Health & Safety wall charts & booklets

#### Sanitation Program

- Plant surveys for Hygiene Compliance
- Monthly Servicing report (titration, chemical dispensing equipment)
- 24/7 Technical Support (Problem Solving & trouble shooting)
- Regular plant visits from Hygiene experts
- Custom sanitation training manual and Hygiene SOP
- Master sanitation schedule
- Microbiology Services from independent laboratories
- Educational Hygiene wall charts & booklets

#### Cost Control

- Controlled chemical usage
- Monthly inventory/cost & Consumption control report
- Continuous improvement through operational efficiencies
- ORAPI/Customer reviews of operational and cost performance

#### Chemical Management

- Audit for proper labeling of chemicals and feed lines
- Audit of chemical store

#### Equipment & Engineering Services

- Custom made chemical delivery and dilution systems
- Preventive maintenance on chemical feed equipment
- 24/7 Technical Service Support (Problem Solving & trouble shooting)

#### Staff Training

- Theory-based and practical training by Hygiene experts
  - Chemical Handling Safety
  - Basic of Safe food Handling
  - Good Hygiene Practices
  - Basic of disinfection
  - Hands Hygiene Practices
  - HACCP & HALAL Basic



Improving  
business  
outcomes



Productivity



Operational  
Efficiency



Reduced  
Cost-In-Use

For the past 20 years **ORAPI Hygiene** has worked in partnership with the Food Processing industries throughout the world to understand their process from inside. This has resulted in development of **effective programs and proficient technical services for process cleaning & disinfection efficiency** which exceed the ever in-creasing demands in Hygiene standards, **Productivity, Health & Safety as well as Environmental regulatory compliance.**

"Our Food Hygiene Experts work every day with major international food corporations to achieve the highest hygiene level at the optimal operating cost."

### Conformance

**ORAPI Hygiene** put hygiene standards at the forefront of its offering. Our high quality products are manufactured according to ISO 9001:2015 standards and continually confirmed by major international food corporation. Our clients are guaranteed peace of mind and can be assured that their processing meet the hygiene requirements according to HACCP system.

### International Network

With a distribution coverage in more than 150 countries and manufacturing facilities in major continents. **ORAPI Hygiene** is well positioned to provide the necessary local support and expertise resources backed by a global International Organization.

### Safety & Environment

**ORAPI Hygiene** is committed to ensure safety and developing products that are environmentally friendly. Our goal is to provide a sustainable technological innovations which are safe to the public health and maintaining the quality of the environment.



## CONTACT US

### ASIA & MIDDLE EAST

- **SINGAPORE**  
ORAPI APPLIED (S) PTE LTD  
No. 26 Tuas Avenue 13  
Singapore 638992  
Tel: +65 6265 2888  
Fax: +65 6268 6474  
E-mail: sin.sales@orapiasia.com
- **MALAYSIA**  
ORAPI APPLIED (M) SDN BHD  
No. 10, Jalan PJU 3/49 – PJU 3,  
Sunway Damansara  
47810 Petaling Jaya – Selangor,  
Malaysia  
Tel: +60-3-7805 3805  
Fax: +60-3-7880 5805  
E-mail: msia.sales@orapiasia.com
- **THAILAND**  
ORAPI APPLIED (T) CO.,LTD  
No 55/75 Klonglamjiak  
Road.,Nuanchan, Buengkum,  
Bangkok 10230 – Thailand  
Tel: +66 2 508 1342  
Fax: +66 2 508 1343  
Email: thai.sales@orapiasia.com
- **UAE**  
ORAPI MIDDLE EAST L.L.C.  
729 Business Village Main  
Building Block B  
PO Box 120509, Dubai  
United Arab Emirates  
Tél: +971 (0) 42942947  
Fax: +971 (0) 42942948  
Email: uae.sales@orapi.ae

### PACIFIC

- **AUSTRALIA**  
ORAPI PACIFIC PTY LTD  
Tel: +613 9701 5373  
E-mail: info@viclube.com.au
- **MAURITIUS**  
ORAPI PACIFIC CIE LTD  
Tel: +230 208 1477  
E-mail: admin.prolub@intnet.mu
- **NEW CALEDONIA**  
ORAPI PACIFIC SFAC SARL  
Tel: +687 25 15 40  
E-mail: sfac@sfac.nc
- **SOUTH AFRICA**  
ORAPI AFRICA LTD  
Tel: +27 11 453 17 13  
E-mail: info@orapiafrica.co.za

### AMERICAS

- **CANADA**  
ORAPI CANADA LTD  
Tel: +1 514 735 32 72  
E-mail: jeanf@orapi-canada.com
- **MARTINIQUE**  
ORAPI MHE  
Tel: + 596 77 37 07  
E-mail: info@mhe-martinique.com

### EUROPE

- **FRANCE**  
**Worldwide Headquarter**  
ORAPI FRANCE  
Parc Industriel de la Plaine  
de l'Ain  
225, allée des Cèdres  
01150 Saint-Vulbas  
Tel: +33 (0)4 74 40 20 20  
Fax: +33 (0)4 74 40 20 21  
Web: www.orapi.com  
E-mail: contact@orapi.com
- **BELGIUM**  
ORAPI APPLIED BELGIUM S.A  
Tel: +32 2 2800 736  
E-mail: sales@orapiapplied.be
- **NORWAY**  
ORAPI APPLIED NORWAY  
Tel: +47 333 66 000  
E-mail: kundeservice@orapi.no
- **UNITED KINGDOM**  
ORAPI APPLIED LTD  
Tel: +44 121 525 4000  
E-mail: info@orapiapplied.com
- **FINLAND**  
ORAPI NORDIC OY AB  
Tel: +358 9 894 6430  
E-mail: sales@orapinordic.net
- **NETHERLAND**  
ORAPI APPLIED NEDERLAND B.V  
Tel: +31 172 43 72 21  
E-mail: sales@orapiapplied.com
- **POLAND**  
ORAPI TRANSNET SP. z o.o.  
Tel: +48 61 813 86 40  
E-mail: mariusz.polkowski@orapi.com
- **SWEDEN**  
ORAPI NORDIC OY AB  
Tel: +46 18 506 010  
E-mail: info@orapi.se
- **ITALY**  
ORAPI ITALIA SRL  
Tel: +39 06 916 10576  
E-mail: info@orapi.it
- **SPAIN**  
ORAPI TRANSNET ESPAÑA, SL  
Tel: +34 974 480 828  
E-mail: adminote@orapi.com

[www.orapiasia.com](http://www.orapiasia.com)

Follow us on:



**ORAPI**  
GROUP