

Transport Essentials



The Right Product at the right place

High Technology Solutions for the Transport Industry



Exterior Care



A-2544

Trans Clean Acid Exterior Wash

Concentrated agent, blend of organic acids, sequestrants, wetting agents and **corrosion inhibitors**, formulated for **removing brake dust build-up** and other soils from **train under carriages, wheels** and components. **Safe on aluminum**,

steel, glass and paints. **Phosphate and silicate free**. Recommended for using alternatively with A-4936. Apply by brush, mop or spray. **Biodegradable. Dilution:** up to 5%, **Colour:** Clear, **Acidity (%)**: 10.3 ± 0.3

A-2544-O2

25L

A-2544-U2

205L

A-4936

Trans Clean AK Alkaline Automatic Exterior Wash

Heavy duty liquid, blend of sequestrants, alkalis, **biodegradable surfactants** and **corrosion inhibitors**, formulated for **automatic pressure cleaning machines**. Removes traffic film, grease and soiling

from **train bodywork**. **Safe to use on painted plastic**, glass and metal surfaces. **Dries without residue stains. Dilution:** up to 3%, **Colour:** Light yellow, **pH (10%)**: 11.3

A-4936-O2

25L

A-4936-U2

205L

A-4912

Fast Klene Super Multi-Purpose Exterior Wash

Concentrated mild alkaline detergent, blend of balanced wetting agent, sequestrants and alkalis, designed for **use with pressure cleaning machine** for the **removal of road traffic films**. Removes grease, dirt and soiling from **bodywork**,

chassis and engines. Safe to use on painted plastic, glass and metal surfaces. **For application by brush, mop or spray method**. Very economical. **Dilution:** up to 5%, **Colour:** Light yellow, **pH (1%)**: 11.0 ± 0.3

A-4912-O2

25L

A-4912-U2

205L

A-2634

Thixowash AC Gelled Acid Exterior Wash

Ready to use gel formulated to **remove copper and iron oxide films** from the roofs of **electric tram and railway carriage**. Adheres to the surface with **no run off** to ensure **maximum contact**

time and safety for operator. Reduces wastage and labour costs. Suitable for application by swab, brush or low pressure spray. Non-flammable. **Colour:** Clear

A-2634-O2

25L

Dosing Equipment

1235

Quadriplonge SS

Robust stainless steel proportioner equipped with a venturi of 13L/min that allows pre-setting 4 different dilutions from 0.25% to 27.5%. Recommended for filling bottles, buckets and containers.



4-1235-V3

Exterior Care



A-3234

Extra Plus Neutral Wash & Shine Shampoo

Highly concentrated liquid, blend of surfactants **combining high quality cleaning action with a streak free finish. Enhances appearance** to paintwork, glass and **prevents spotting on doors and windows. Free from alkalis**,

butyls, solvent and phosphates. Safe on paintworks and metals. For the **daily cleaning of buses and trucks in auto washing**. Suitable for application by brush, foam or wipe. **Dilution:** up to 2%, **Colour:** Red, **pH:** 7.0 ± 1.5

A-3234-O2

25L

A-3234-U2

205L

A-4049

Fleetclean A Automatic Vehicle Exterior Wash

High foaming detergent, blend of **biodegradable surfactants and corrosion inhibitors**, designed for **automatic wash systems**. Effectively removes dirt, grease, soils, and road traffic stains from **trucks**,

cars, buses. Safe on all surfaces, paintwork and chrome. May be used with high and low pressure units. Non-flammable. **Dilution:** up to 2%, **Colour:** Light brown **pH:** 6.0 ± 1

A-4049-O2

25L

A-4049-U2

205L

A-3120

Bulldog Gold Heavy Duty Vehicle Wash

Mild alkaline detergent, blend of surfactants, sequestering agents, **corrosion inhibitors and natural solvent**, formulated to remove dirt, soils, grease and oil from **trucks, buses and mining vehicles. Safe on all metals, paintwork, chrome**,

aluminium and plastic curtains. For use in **automatic wash installations**. May be applied with a HV & LV foamer, brush or with high pressure equipment. **Non-flammable. Dilution:** up to 1:50, **Colour:** Bright fluorescent Yellow, **pH (1 %):** 9.6 ± 0.3

A-3120-O2

25L

A-3120-U2

205L

A-4045

Fleetclean M Manual Vehicle Exterior Wash

High foaming detergent, blend of **biodegradable surfactants and corrosion inhibitors**, formulated for manual washing of **trucks and buses**. Quickly removes dirt, grease, soils, and road traffic

films. **Safe on all surfaces, paintwork and chrome**. Apply with a sponge, brush or with high pressure equipment. Non-flammable. **Dilution:** up to 5%, **Colour:** Clear green, **pH:** 7.5 ± 0.5

A-4045-O2

25L

A-4045-U2

205L

0-9085

Renovex Cement Truck Renovator

Super concentrated liquid, blend of **organic acids** and biodegradable wetting agents, formulated to **remove heavy encrustations of mortar, scale and tar from cement trucks** and equipment.

Contains corrosion inhibitors to reduce the attack on bare metal. Apply by brush or spray. Care to be taken on soft metals. **Dilution:** up to 1:6, **Colour:** Violet, **pH:** < 2

0-9085-O2

25L

Interior Care



A-3220 Sunshine General Purpose Cleaner

Premium grade detergent that works effectively on **all interiors surfaces: floors, overhead compartments, armrest, table tops, toilets, cubicles, walls etc.** Harmless to all metals, paint,

fabrics, glass, rubber etc. Non-slip finishing. Spray, swab or wipe on/off. Non-toxic. Leaves a fresh **lemon fragrance**. **Dilution:** up to 1:50, **Colour:** Clear blue, **pH (10 %):** 6.5 ± 0.5

A-3220-O2	25L
A-3220-U2	205L

A-4432 Surfakleen AL Food Grade Detergent Cleaner



Foaming mild alkaline cleaner, blend of biodegradable detergents and sequestrants, formulated for the **daily cleaning of van interiors, containers and iso tanks** which may be in **contact with foodstuffs**.

Removes greases, vegetable oils, fats, blood etc. **Safe on all surfaces**. Apply by brush, foamer or pressure wash equipment. For **HACCP programs**. **Dilution:** up to 10ml / L, **Colour:** Pale yellow, **pH(10%):** 9.5 ± 0.5

A-4432-O2	25L
-----------	-----

A-3340 Rincon Food Grade Detergent & Disinfectant



One step cleaner & disinfectant, blend of biodegradable detergents, sequestrants and **QAC sanitizer**, formulated for the **daily cleaning of vehicles interiors, containers and iso tanks** which may be in **contact with foodstuffs**. Provides

bactericidal, fungicidal and algacidal properties. **Eliminates odours**. **Safe on all surfaces**. Apply by brush, foamer or pressure wash equipment. For **HACCP programs**. **Dilution:** up to 1:200 parts, **Colour:** Pink, **pH:** 7.3 ± 0.2

A-3340-J1	5L x 4
A-3340-O2	25L

A-3952 Relion Interior Polishing Cleaner

Ready to use **polishing cleaner** which provide an **outstanding shine to surfaces** in bus, metro, train and automobile. Suitable for **leather and naugahyde seats, laminate, plastic and polycarbonate**

surfaces, **dashboards, rubber tyres** etc. **Dries to a non-greasy** finish. Long lasting protection. **Pleasant fragrance**. **Non-flammable**. **Colour:** white, **pH:** 7.7 ± 0.3

A-3952-F6	500ML x 6
A-3952-O2	25L

A-7883 Kleenzyme Biological Multi-surface Cleaner / Deodorizer

Foaming liquid blend of **micro-organisms, enzymes and biodegradable surfactants**, formulated to **clean and deodorize** cabin, **seats upholstery, carpets, toilet floors, sweat, vomit stains** etc. **Prevents** pipes

blockages and **malodours** caused by the accumulation of organic deposits and bacteria in galley line. **Non-corrosive**. **Pleasant fragrance**. **Dilution:** 30 to 100ml / L of water, **Colour:** Opaque green, **pH:** 7.5 ± 0.5

A-7883-F6	500ML x 6
A-7883-J1	5L x 4

Lavatory Care



A-3471 Noviruclean Viricidal Sanitiser

Powerful **spray and wipe disinfectant** cleaner. **Viricidal, bactericidal and fungicidal properties**. Effective on all internal surfaces: **armrests, tabletops, toilet cubicles, walls & components**

etc. Recommended as a soak cleaning for recirculating toilet tanks. No rinsing required. **Dilution:** up to 1:30, **Colour:** Clear, **pH (10 %):** 9.3 ± 0.5

A-3471-F6	500ML x 6 (RTU 1/30)
A-3471-O2	25L

A-3466 Novirusac Gel Viricidal Toilet Sanitiser

New technology **water-soluble gel** for recirculating & vacuum toilet systems. Produces a **pleasant fruity perfume** for effective odour control, **bactericidal and fungicidal treatment**. Viricidal against:

Hep B, HIV (AIDS), Herpes Simplex. Bactericidal against gram positive and negative strains. **Dilution:** 1:1000 parts of water, **Colour:** Dark blue, **pH (0.5%):** 9.5 ± 0.2

A-3466-H5	200 x 20gm (water soluble sachets)
A-3466-H7	96 x 40gm (water soluble sachets)
A-3466-O2	25L

A-2225 Vactreat Toilet Line Descaler

Acid based cleaner effective to **prevent build-up of soil deposits in toilets** systems. **Dissolves hard scale** and **prevents foul-odours**. Prevents the narrowing of vacuum pipes and **reduces the risks of blockage**. **Maintains**

vacuums and recirculating systems in optimal condition. Treatment should be carried out every 7 days for effective control of calcification. **Dilution:** 2L per toilet, **Colour:** Dark green, **pH:** <1

A-2225-I2	2L x 6
A-2225-O2	25L

A-3180 Glass Act Window Cleaner

Concentrated ammonia free liquid, formulated to quickly remove dirt and soils from windshields, mirror and windows. Dissolves **smoke films, oily stains, insect remains, smudges and fingerprints**

leaving sparkling surfaces without buffing. **No streaking or smudging**. **Safe on painted surfaces**, vinyl, plexiglass and plastic components. **Dilution:** up to 1:10, **Colour:** Clear green, **pH:** 10 ± 0.3

A-3180-F6	500ML x 6 (RTU)
A-3180-J1	5L x 4

A-3746 / A-3747 Breeze Spice / Breeze Lily Cabin Deodoriser

Concentrated water soluble odour counteractant and reodorant. **Eliminates offensive odours in cabin and toilet** leaving a fresh pleasant fragrance. **Destroys** most odours from **tobacco, perspiration,**

urine, stale air, vomits, mildew and many other sources. Ideal for **buses, ambulance** and air ducts. Non-flammable. **Dilution:** up to 1:3, **Colour:** Red

A-3746/7-J1	5L x 4
A-3746/7-O2	25L

Component Overhaul



A-2690

Immerkleen Acid Immersion Renovator

Concentrated **low foaming** cleaner, blend of **organic acids**, biodegradable surfactants and **corrosion inhibitors**, formulated for effective **removal of rust and conditioning scale** on metal components in immersion tank. Effectively

removes grease, oil and grime from alloy and painted metal parts. **Brightens stainless steel**. Leaves a **phosphating film** which is ideal for subsequent painting operations. **Dilution:** 16 to 25%, **Colour:** Clear, **pH(1%):** 2.0 ± 0.5

A-2690-O2

25L

A-5851

Liquikleen HA Alkaline Immersion Renovator

Concentrated **alkaline liquid**, designed for the **removal of rust, heat modified carbon deposits, grease and oil** in immersion tank applications. **Eliminates** the need for laborious **scrapping**.

For engine blocks, brake pads and various components. Will not cause hydrogen embrittlement. Economical. **Dilution:** 100ml/L of water **Colour:** Clear

A-5851-O2

25L

A-5851-U2

205L

A-5050

Steamklean Steam Cleaning Compound

Alkaline cleaning agent which rapidly removes oil, grease and clay deposits on all metal and painted surfaces. Recommended for **steam cleaning applications of chassis and running gear** of trucks,

bus and cars. **Safe on all metals and paintworks**. **Dilution:** 1-2L / 100L of water **Colour:** Light brown liquid

A-5050-O2

25L

M-7205

Magnuspray 205 Multi-Metal Spray Wash Liquid

Low foaming non caustic cleaner, blend of alkalis, **corrosion inhibitors** and wetting agents, formulated for **spray wash cleaning of ferrous and non-ferrous** parts. Provides effective degreasing and

cleaning action. In-process rust protection properties. For **use at high or low temperatures**. **Biodegradable**. **Dilution:** 0.5 to 5%, **Colour:** Amber **pH(1%):** 12.0 ± 0.5

M-7205-O2

25L

M-7921

Magnus® 921-X3 Multi-Metal Spray Wash Powder

Versatile **high performance cleaner**, blend of alkalis, rust inhibitors and wetting agents formulated for **spray washer applications**. Provides effective degreasing and cleaning action for **ferrous and non-ferrous** components. **Provides short**

term corrosion protection. For use at high or low temperatures. Economical. **Biodegradable**. **Dilution:** 0.5-3% / L of water, **Colour:** White granular powder, **pH (1%):** 12.0 ± 0.5

M-7921-O4

50KG

M-7921-U2

205KG

Component Overhaul



A-8000

Solvent Wipes I Non-Flammable Cleaner

Powerful solvent blend, formulated for an **effective degreasing and removal of dust, oil grease and soil** from components, engine parts, electrical and electronic systems. **Safe on all metals**

with care to be taken on some painted and plastic surfaces. **Leaves no residue**. Suitable for immersion, wipe or spray application. **Odourless**. **Colour:** Clear, **Flash Point:** 62° C (TCC)

A-8000-O2

25L

A-8000-U2

205L

A-8293

Citrikleen X520 Environmentally Friendly Cleaner

Powerful solvent, **formulated from natural citrus oils**. Quickly dissolves oils, greases, tar, carbon and waxes from engines, electric motor and transport components. **Replaces chlorinated and petroleum solvents**. Ideal for **removing corrosion**

inhibition compound and contact adhesive. **Safe on all metals** with care on some paints and plastics. **Leaves no residue**. Use as wipe on/wipe off or by immersion tank. **Colour:** Clear, **Flash Point:** 45° C (TCC)

A-8293-J1

5L x 4

A-8293-O2

25L

O-0503

Kleaner Fast Dry Solvent

Fast acting multi-surfaces cleaner, designed to **quickly dissolve oil, grease and dirt** on mechanical parts. **Leaves no residue**. Powerful jet spray. **Safe on most plastic and fragile materials**. Recommended

for **engines, brake pads**, locks, circuit boards, relays, surface before painting or bonding. **Non-hazardous**. **Safe to the environment**. **Flash Point:** -35° C

O-0503-A4

Aerosol 400ML x 12

O-0508

A90H Non-Flammable Contact Cleaner

Ultra-high purity, **fast drying electronic grade solvent for sensitive components**. Penetrates deeply to dissolve grease, oil, dirt, flux, tar and other contaminants. **100% residue-free**.

Safe to spray on running equipment. For circuit boards, switches, connectors, electrical motors, relays, semiconductors etc.

O-0508-A3

Aerosol 330GM x 12

A-4320

Protor WB Temporary Corrosion Protection

Low foam water soluble agent, designed to **clean and prevent rust on stainless steel and components** which have been cleaned with water. Leaves **non-greasy thin film which passivates surfaces for up to 3 weeks indoor**. Allows

subsequent painting or welding process. For use in immersion or spray systems. Very economical. **Dilution:** 2-10% at 80°C **Colour:** pale white **pH (1%):** 8.5 ± 0.3

A-4320-O2

25L

Engine Care



A-5213

Supa Clean

Universal Water Based Degreaser

Powerful **renovator**, blend of **balance surfactants, safe solvents** and inhibitors, formulated to bridge the gap between hard surface cleaners and strong solvent. **Liquefies** and **emulsifies grease, oil, grime and traffic films**. For **engines,**

chassis, coaches, ships, curtains, oil rigs. Safe on paintwork, chrome, stainless steel with care to be taken on aluminium. Apply with a brush or with high pressure equipment. Biodegradable. **Non-flammable.** **Dilution:** up to 1:500, **Colour:** Clear Yellow

A-5213-02

25L

A-5213-U2

205L

A-8370

Emsol

Emulsifiable Solvent Degreaser

Concentrated **degreaser**, blend of **aromatic solvents and biodegradable surfactants**, formulated for the **removal of heavy soils, fuel oils, tars and heavy greases**. For **engines, chassis,** forklift, trucks, generators, components.

Safe on metals, glass and most paints. Care to be taken on plastic and rubber. **Non-flammable.** **Dilution:** up to 1:8 parts of water **Colour:** Pale Yellow

A-8370-02

25L

A-8771

Carbosolv

Immersion Decarboniser

Highly potent **2 phases system solvent**, designed to **remove carbonised oil and grease, epoxy paint,** adhesives and synthetic finishes from **components and engine parts.** **Safe on all metals.**

Inhibited properties to prevent attack to reactive metal. Use as supplied by **immersion tank.** **Non-flammable.** Long lasting efficiency. Economical. **Colour:** Dark yellow

A-8771-02

25L

O-0504

SDI New

Powerful Non-Flammable Solvent

Highly effective **industrial degreaser,** formulated for **effective removal of fuel residues, synthetic oils, carbonized greases, tars** from mechanical surfaces. High evaporation leaving no residue.

Powerful jet spray. Non-corrosive. Care to be taken on plastics. For **engines blocks, carburetors,** hydraulic cylinders, etc. **Saves labour time.**

O-0504-A5

Aerosol 600ML x 12

O-0504-O2

25L

A-4279

Unicool

Cooling System Inhibitor

Colour coded nitric based compound, designed to **prevent corrosion and scale** formation in high performance **diesel** and conventional **engines radiators.** Compatible with ethylene glycol antifreeze

additives. Will not harm radiator or heat hoses. Significantly **extends life of cooling systems.** **Dilution:** 30 ml / L, **Colour:** Blue **pH(1%):** 8.3 ± 0.2

A-4279-02

25L

Maintenance Workshop



A-5410

Raider

Industrial Surface Renovator

Concentrated all-purpose liquid, blend of **biodegradable surfactant and alkalis,** designed for **maximum cleaning efficiency and care for all washable surfaces.** Safely removes dirt, grease, heavy oil from **workshop floors & walls,**

machinery, engines, exhaust fans, plastic, concrete etc. **Non-slip finishes.** Used through pressure washers, steam cleaners, automatic scrubbing machines, spray and wipe. **Dilution:** up to 2% **Colour:** Red, **pH (10%):** 12.38 ± 0.5

A-5410-02

25L

A-5410-U2

205L

O-0800

Reduce 4

High Performance Release Agent

Fast acting **penetrating agent,** developed for mechanical parts exposed to harsh conditions. **Cleans, penetrates, dissolves rust, lubricates and protects.** Provides a **water-repellent** and phosphate coating. Suitable for **badly seized assemblies,**

bolts, nuts, screws, threads, wheel hubs, seized assemblies. Frees corroded parts without thread damage. Contains no silicone. **Non-flammable.** **Colour:** Yellow, **Flash Point:** >60°C

O-0800-A3

Aerosol 300ML x 12

O-0800-J1

5L x 4

O-0627

CT 41

EP Weatherproof Grease

Adhesive lithium complex grease, for mechanisms operating under high shear stresses or **high loading conditions.** Exceptional **extreme pressure** lubrication, **water and heat resistance.** Stays in place and **protects mechanism from overload**

and shock. For sleeve, **fifth wheel, wheel bearings,** slide, telescopic booms, construction and mining vehicles, etc. **Operating range:** -20°C to +230°C. **NLGI:** 2. **Timken O.K. Load:** 80LB **Colour:** Gold / Amber

O-0627-C4

Cartridge 400GM X 10

O-0627-O1

Pail 35Lb

O-0580

Orange Cream

Citrus Hand Cleaner

Neutral lotion, blend of **citrus oil, biodegradable surfactants** and **polymeric beads** which combines effective cleaning with **gentle rubbing action.** Removes the **toughest grease, oils, grime,**

soot and **inks.** Contains glycerin to hydrate hands. **Pleasant** perfume. Contains **no petroleum solvents.** For all workshops and garages etc. **Colour:** Orange, **pH:** 7.5 ± 0.5

O-0580-J0

3.8L x 4

O-0575

Ultra Clean Wipes

Hands and Surfaces Wipes

Wipes impregnated with a **natural plant extract solution,** designed for **effective degreasing of hands, tools and equipment** heavily soiled by oils, greases,

inks paints, petrol, tar and soot. **Cleans hands without water directly** on site. Hypo-allergenic. **Pleasant mandarin** scent. **Colour:** Pink wipes

O-0575-S9

Bucket 70 wipes

"In a market characterized by a constant stream of transportation products, innovation more than ever is the key to success. Research has always been and will continue to be our strategic priority to safeguard our future."

Since 1942, **ORAPI Group** has been understanding and anticipating the requirements of the transport industry. Providing mechanical and maintenance engineers, technologically Advanced Solutions, to improve process cleaning efficiency and reduction of operation costs without compromising quality and standards.

Conformance

The high quality and manufacturing standards of **APPLIED** products are continually endorsed by major O.E.M. corporations and tested by independent certification bodies, such as: ISO standards - 9001 & 14001, military standards - NATO, US MIL, aeronautic standards - ASNA, AIMS, AMS, BOEING, international standards (BS: British, DIN: German, AFNOR: French), etc. These audits and certifications often award **APPLIED** the top grades, while respecting the standards of high quality in terms of products and technology.

International Network

With a distribution coverage in more than 150 countries and manufacturing facilities in major continents. **ORAPI Group** is well positioned to provide the necessary local support and expertise resources backed by a global International Organisation.

Safety & Environment

ORAPI is committed to ensure safety and developing products that are environmentally friendly. Our goal is to provide technological innovations which are safe to the public health and maintaining the quality of the environment.



CONTACT US

ASIA & MIDDLE EAST

- SINGAPORE
ORAPI APPLIED (S) PTE LTD
No. 26 Tuas Avenue 13
Singapore 638992
Tel: +65 6265 2888
Fax: +65 6268 6474
E-mail: sin.sales@orapi.com.sg
- MALAYSIA
ORAPI APPLIED (M) SDN BHD
No. 10, Jalan PJU 3/49 – PJU 3,
Sunway Damansara
47810 Petaling Jaya – Selangor,
Malaysia
Tel: +60-3-7805 3805
Fax: +60-3-7880 5805
E-mail: msia.sales@orapi.com.my
- THAILAND
ORAPI APPLIED (T) CO.,LTD
55/75 Moo 9, Townplus Kaset-
Nawamin Village,
Klonglumjiak Road, Klongkum,
Buengkum,
Bangkok 10240 – Thailand
Tel: +66 2 508 1342
Fax: +66 2 508 1343
Email: thai.sales@orapi.co.th
- UAE
ORAPI MIDDLE EAST L.L.C.
729 Business Village Main
Building Block B
PO Box 120509, Dubai
United Arab Emirates
Tel: +971 (0) 42942947
Fax: +971 (0) 42942948
Email: uae.sales1@orapi.ae

PACIFIC

- AUSTRALIA
ORAPI PACIFIC PTY LTD
Tel: +613 9701 5373
E-mail: info@viclube.com.au
- MAURITIUS
ORAPI PACIFIC CIE LTD
Tel: +230 208 1477
E-mail: admin.prolub@intnet.mu
- NEW CALEDONIA
ORAPI PACIFIC SFAC SARL
Tel: +687 25 15 40
E-mail: sfac@sfac.nc
- SOUTH AFRICA
ORAPI AFRICA LTD
Tel: +27 11 453 17 13
E-mail: info@orapiafrica.co.za

AMERICAS

- CANADA
ORAPI CANADA LTD
Tel: +1 514 735 32 72
E-mail: jeanf@orapi-canada.com
- MARTINIQUE
ORAPI MHE
Tel: + 596 77 37 07
E-mail: info@mhe-martinique.com

EUROPE

- FRANCE
Worldwide Headquarter
ORAPI FRANCE
Parc Industriel de la Plaine
de l'Ain
225, allée des Cèdres
01150 Saint-Vulbas
Tel: +33 (0)4 74 40 20 20
Fax: +33 (0)4 74 40 20 21
Web: www.orapi.com
E-mail: contact@orapi.com
- BELGIUM
ORAPI APPLIED BELGIUM S.A.
Tel: +32 2 2800 736
E-mail: sales@orapiapplied.be
- NORWAY
ORAPI APPLIED NORWAY
Tel: +47 333 66 000
E-mail: kundeservice@orapi.no
- UNITED KINGDOM
ORAPI APPLIED LTD
Tel: +44 121 525 4000
E-mail: info@orapiapplied.com
- FINLAND
ORAPI NORDIC OY AB
Tel: +358 9 894 6430
E-mail: sales@orapinordic.net
- NETHERLAND
ORAPI APPLIED NEDERLAND B.V.
Tel: +31 172 43 72 21
E-mail: sales@orapiapplied.com
- POLAND
ORAPI TRANSNET SP. z o.o.
Tel: +48 61 813 86 40
E-mail: mariusz.polkowski@orapi.com
- SWEDEN
ORAPI NORDIC OY AB
Tel: +46 18 506 010
E-mail: info@orapi.se
- ITALY
ORAPI ITALIA SRL
Tel: +39 06 916 10576
E-mail: info@orapi.it
- SPAIN
ORAPI TRANSNET ESPAÑA, SL
Tel: +34 974 480 828
E-mail: adminote@orapi.com

ORAPI[®]
GROUP