



TRANSPORT ESSENTIALS



The Right Product at the right place

High Technology Solutions for the Transport Industry



EXTERIOR CARE | TRAIN & METRO



2544 TRANS CLEAN Acid Exterior Wash

Concentrated agent, blend of organic acids, sequestrants, wetting agents and **corrosion inhibitors**, formulated for **removing brake dust build-up** and other soils from **train under carriages, wheels** and components. **Safe on aluminum**, steel, glass, paints and lacquers. **Phosphate and silicate free**. Used

alternatively with **4936**. For application by brush, mop or spray method. **Saves labour time**. Biodegradable.
Dilution: up to 5% with water, **Colour:** Colourless, **Acidity (%)**: 10.3 ± 0.3



A-2544-02
A-2544-U2

25L
205L

4936 TRANS CLEAN AK Alkaline Automatic Exterior Wash

Heavy duty liquid, blend of sequestrants, alkalis, **biodegradable surfactants** and **corrosion inhibitors**, formulated for **automatic pressure cleaning machines**. Removes traffic film, grease and general soiling. **Safe on painted plastic**, glass and metal surfaces. **Dries without residue**

stains. For application by brush, mop or spray method. **Saves labour time**. Biodegradable.
Dilution: up to 3% with water
Colour: Yellow, **pH (10%)**: 11.6 ± 0.5



A-4936-02
A-4936-U2

25L
205L

5477 NET' TRAIN+ Highly Biodegradable Exterior Wash

Mild alkaline concentrated detergent, blend of wetting agents, **safe solvents** and corrosion inhibitors, formulated to eliminate **greasy and oily soils, metal oxides and traffic films**. Provides a **dense and creamy foam** that optimize contact time. **Removes traces of catenary and brake dusts**. Phosphates, EDTA and NTA

free. For application by brush, mop or spray method. **Very economical**.
Dilution: up to 1% with water
Colour: Pale yellow, **pH(10%)**: 12.2 ± 0.3
Biodegradability: 90% in 28 days



A-5477-02
A-5477-U2

25L
205L

4912 FAST KLENE SUPER Multi-purpose Exterior Wash

Concentrated mild alkaline detergent, blend of balanced wetting agent, sequestrants and alkalis, designed for **use via pressure cleaning machine** for the **removal of road traffic films**. Removes grease, dirt and general vehicle soiling from **bodywork, chassis and engines**. **Safe to use**

on painted plastic, glass and metal surfaces. **Suitable for application by brush, mop or spray method**. Very Economical.
Dilution: up to 5% with water.
Colour: Yellow, **pH (1%)**: 11 ± 0.3



A-4912-U2

205L

Dosing Equipment

1235 QUADRIPLONGE SS

Robust stainless steel proportioner equipped with a venturi of 13L/min that allows pre-setting 4 different

dilutions from 0.25% to 27.5%. Recommended for filling bottles, buckets and containers.



A-1235-V3

EXTERIOR CARE | BUS & TRUCKS



3234 EXTRA PLUS Neutral Wash & Shine Shampoo

Highly concentrated liquid, blend of surfactants **combining high quality cleaning action with a streak free finish**. **Enhanced appearance** to paint work, glass and **prevents spotting on doors and windows**. **Free from alkalis,**

butyls, solvent and phosphates. **Safe on paintwork and metals**. For application by brush, foam or wipe. **Dilution:** up to 2%
Colour: Red, **pH:** 7.0 ± 1.5 - 8.5



A-3234-02
A-3234-U2

25L
205L

4049 FLEETCLEAN A Automatic Vehicle Exterior Wash

High foaming detergent, blend of **biodegradable surfactants and corrosion inhibitors**, designed specifically for **automatic wash systems**. Effectively removes dirt, grease, soils, and road traffic stains. **Safe on all surfaces, paintwork and chrome**. May be used

with high and low pressure units. **Non-flammable**.
Dilution: up to 2%
Colour: Light brown
pH: 6 ± 1



A-4049-U2

205L

3120 BULLDOG GOLD Heavy Duty Vehicle Wash

Mild alkaline detergent, blend of surfactant sequestering agents, **corrosion inhibitors** and **natural solvent**, formulated to remove dirt, soils, grease and oil from **trucks, buses and heavy vehicles**. **Safe on all metals, paintwork, chrome, glass and plastic curtains**. For use in automatic wash

installations. Applied with a HV & LV foamer, sponge, brush or with high pressure. **Non-flammable**. **Dilution:** up to 1:50
Colour: Bright Yellow
pH (1%): 9.6 ± 0.3



A-3120-02
A-3120-U2

25L
205L

4045 FLEETCLEAN M Manual Vehicle Exterior Wash

High foaming detergent, blend of **biodegradable surfactants and corrosion inhibitors**, formulated for manual washing of **trucks, and buses**. Applied with a sponge, brush or with high

pressure equipment. **Non-flammable**.
Dilution: up to 5%, **Colour:** Clear green,
pH(1%): 7.5 ± 0.5



A-4045-02

25L

9085 RENOVEX Cement Truck Renovator

Super concentrated liquid cleaner, blend of **organic acids**, biodegradable wetting agents and inhibitors formulated to **remove heavy encrustations of mortar, scale and tar from cement trucks and metal equipment**. Contains corrosion

inhibitor to reduce the attack on bare metal. Apply by brush or spray. Care to be taken on soft metals. **Dilution:** up to 1:6 parts of water, **Colour:** Violet, **pH:** < 2



0-9085-02

25L

INTERIOR CARE | CABIN



3220 SUNSHINE General Purpose Cleaner

Premium grade detergent that works effectively on all interiors surfaces: floors, overhead compartments, armrest, table tops, toilets, cubicles, walls etc. Harmless to all metals, paint, fabrics, glass, rubber etc. Non-slip finishing, rinses right away.

A-3220-02

Spray, swab or wipe on/off. Non-toxic and non-flammable. Fresh lemon fragrance. Dilution: up to 1:50

Colour: Clear blue pH (10 %): 6.5 ± 0.5



25L

4432 SURFAKLEEN AL A Food Grade Detergent Cleaner

Foaming mild alkaline cleaner, blend of biodegradable detergents and sequestrants, formulated for the daily cleaning of lorry and van interiors, containers and iso tanks which may be in contact with foodstuffs. Removes greases, vegetable oils, fats, blood etc.

OH-4432-02

Safe on all surfaces. Non-toxic. Apply by brush, foamer or pressure wash equipment. Recommended for HACCP programs. Dilution: up to 10ml / L Colour: Pale yellow, pH (10%): 9.5 ± 0.5



25L

3340 RINCON Food Grade Detergent & Disinfectant

One step cleaner & disinfectant blend of biodegradable detergents, sequestrants and QAC, formulated for the daily cleaning of vehicles interior, containers and iso tanks which may come in contact with foodstuffs. Provides bactericidal, fungicidal and algacidal properties.

OH-3340-J1

OH-3340-02

Eliminates odours. Safe on all surfaces. Apply by brush, foamer or pressure wash equipment. For HACCP programs.

Dilution: 1:40 to 1:200 parts

Colour: Pink, pH: 7.3 ± 0.2



5L x 4

25L

3952 RELION Interior Polishing Cleaner

Ready to use premium quality polishing cleaner which provide an outstanding shine to surfaces in bus, metro, train and automobile. Suitable for leather and naugahyde seats, laminate, plastic and polycarbonate surfaces, dashboards,

OH-3952-F6

OH-3952-J2

rubber tyres etc. Dries to a non-greasy finish. Long lasting protection. Pleasant fragrance. Non-flammable.

Colour: white, pH: 7.7 ± 0.3



500ML x 6

10L

7883 KLEENZYME Biological Multi-surface Cleaner / Deodoriser

Foaming liquid blend of micro-organisms, enzymes and biodegradable surfactants, formulated to clean and deodorize cabin, seats upholstery, carpets, toilet floors, sweat, vomit stains etc. Prevents pipes blockages and malodours caused by organic deposits and bacteria in galley

OH-7883 F6

OH-7883-J3

line. Non-corrosive. Pleasant fragrance.

Dilution: 30 to 100ml / L of water

Colour: Opaque green, pH: 7.5 ± 0.5



500ML x 6

10L

INTERIOR CARE | LAVATORY



2225 VACTREAT Toilet Line Descaler

Acid based detergent cleaner, effective to prevent build-up of soil deposits in toilets. Dissolves hard scale deposits and prevents fouls malodours. Prevents the narrowing of vacuum pipes and reduces the risks of blockage. Maintains vacuums

A-2225-I2

and recirculating systems in optimal condition. Treatment should be carried out once every seven days for effective control of calcification.

Dilution: 2L per toilet, Colour: Dark green, pH: < 1

2L x 6

3471 NOVIRUCLEAN Viricidal Sanitiser

Powerful spray and wipe disinfectant cleaner. Viricidal, bactericidal and fungicidal properties. Effective on all internal surfaces: armrests, tabletops, toilet cubicles, walls & components etc. Recommended as a soak cleaning

A-3471-F6

A-3471-02

for recirculating toilet tanks. No rinsing required.

Dilution: up to 1:30 parts of water

Colour: Clear, pH: 8.6 ± 0.2



500ML x 6 (RTU 1/30)

25L

3466 NOVIRUSAC GEL Viricidal Toilet Sanitiser

New technology water-soluble gel for recirculating & vacuum toilet systems. Produces a pleasant fruity perfume for effective odour control and bactericidal and fungicidal treatment. Viricidal against: Hep B, HIV (AIDS), Herpes

A-3466-H5

A-3466-02

Simplex. Bactericidal against gram+ and gram- strains.

Dilution: 1:1000 parts of water

Colour: Dark blue

pH (0.5%): 9.5 ± 0.2

200 x 20gm (water soluble sachets)

25L

3187 KLEER GEL Window & Glass Gel Cleaner

Cleaner for windows, doors, mirrors, windshields and glossy surfaces. Recommended for cleaning smooth surfaces such as plexiglass, painted surfaces, LCD screen and most plastics. Removes a wide variety of soils and

OH-3187-F6

delays their return: insect debris, smudges, fingerprints, oily and greasy marks. Ready to use, fast drying action.

Colour: Blue, pH: 7



750ml x 6

3746/3747 BREEZE SPICE / BREEZE LILY Cabin Deodoriser

Concentrated water soluble odour counteractant and reodorant. Eliminates offensive odours in cabin and toilet leaving a fresh pleasant fragrance. Destroys most odours from tobacco, perspiration, urine, stale air, vomits, mildew and many other

OH-3746-J1

OH-3747-J1

sources. Ideal for buses, ambulance and air ducts. Non-flammable.

Dilution: up to 1:3

Colour: Reddish Orange / Blue



5L x 4

5L x 4



COMPONENT OVERHAUL | WATER BASED



2690 **IMMERKLEEN**
Acid Immersion Renovator

Concentrated **low foaming** cleaner, blend of **organic acids**, biodegradable surfactants and **corrosion inhibitors**, formulated for **removal of rust and scale** on metal components (steel, iron etc) in immersion tank. Effectively removes grease, oil and grime from alloy and painted metal parts. **Brightens stainless steel.** Leaves a **phosphating film** which is ideal for subsequent painting operations.

Dilution: 16 to 25%.
Colour: Clear, **pH (1%) :** 2.0 ± 0.5



A-2690-02 | 25L

5851 **LIQUIKLEEN HA**
Alkaline Immersion Renovator

Concentrated **alkaline liquid**, designed for the **removal of rust, carbon deposits, grease** and oil in immersion tank applications. **Eliminates** the need for laborious **scrapping**. For **engine blocks, brake pads** and various components.

Will not cause hydrogen embrittlement. Economical to use.

Dilution: 100ml/L of water
Colour: Clear

A-5851-02 | 25L

9083 **QUICK-SOL HP**
Industrial Strength Renovator


Concentrated alkaline surface renovator, blend of **biodegradable surfactants, safe solvents and corrosion inhibitors**, formulated to quickly **emulsifies grease, oil, grime and industrial soil**. For **bogies, engines, chassis, wheels, axles, bearings, braking systems**, components, machine tool, hangars etc. Non-corrosive. Safe for all surfaces. **Non-flammable.** **Dilution:** 15ml-25ml / 1L of water, **Colour:** Pink, **pH:** 12 ± 0.5

O-9083-J3 | 10L

7205 **MAGNUSPRAY 205**
Multi-Metal Spray Wash Liquid


Low foaming non caustic cleaner, blend of alkalis, **corrosion inhibitors** and wetting agents, formulated for **spray wash cleaning of ferrous and non-ferrous components**. Provides effective degreasing and cleaning action. In-process rust protection properties. For use at high or low temperatures. **Biodegradable.** **Dilution:** 0.5 to 5%
Colour: Amber, **pH (1%):** 12 ± 0.5



M-7205-02 | 25L

7921 **MAGNUS® 921-X3**
Multi-Metal Spray Wash Powder

Versatile **high performance cleaner**, blend of alkalis, phosphates, rust inhibitors and wetting agents formulated for **spray washer and soaking tank applications**. Effective degreasing and cleaning action for **ferrous and non-ferrous components**. **Provides short term corrosion protection.** For use at high or low temperatures. Economical. **Biodegradable.** **Dilution:** 0.5-3% / L of water.
Colour: White granular powder
pH (1%): 12.0 ± 0.5



M-7921-04 | 50KG




COMPONENT OVERHAUL | SOLVENT BASED



8000 **SOLVENT WIPES I**
Non-Flammable Cleaner

Powerful solvent blend, formulated for an **effective degreasing and removal of dust, oil grease and general soil** from components, engine parts, electrical and electronic systems. **Safe on all metals surfaces.** **Leaves no residue.** Suitable for immersion, wipe or spray application.

Odourless.
Colour: Clear, **Flash Point:** 62° C (TCC)

A-8000-02 | 25L
A-8000-U2 | 205L

550 **ORANGE SOLVENT**
Environmentally Friendly Cleaner

Versatile safe solvent, formulated from **orange oils**. Effectively **dissolves grease, heavy oil, bitumen, tar, wax, adhesive, sealant, oil based ink, chewing gum, silicone.** Leaves a **light film that protects surfaces from corrosion.** Safe on most surfaces. For components, engine blocks, electric motors, axles, bearings. Used in dip tanks, ultrasonic baths, parts washer. **Non flammable.** **Flash Point :** > 61° C

O-550-J1 | 5L X 4
O-550-02 | 25L

503 **KLEANER**
Fast Dry Solvent

Fast acting multi-surfaces solvent cleaner, designed to **quickly dissolves oil, grease and dirt** on mechanical parts. **Leaves no residue.** Powerful jet spray. **Safe on most plastic and fragile materials.** Recommended for **engines, brake pads, locks, piping, circuit boards, relays, surface before painting or bonding.** **Non-hazardous to humans. Safe to the environment.** **Flash Point:** -35° C



O-0503-A4 | Aerosol 400ML x 12

508 **A90H**
Non-Flammable Contact Cleaner

Ultra-high purity, **fast drying electronic grade solvent for sensitive components.** Penetrates deeply to dissolve grease, oil, dirt, flux, tar and other contaminants. **100% residue-free. Safe to spray on running equipment.** For circuit boards, switches, connectors, electrical motors, relays, semiconductors etc.




O-0508-A3 | Aerosol 330GM x 12

841 **PROTOR WB**
Temporary Corrosion Protection

Low foam water soluble agent, designed to **clean and prevent rust on stainless steel and components** which have been cleaned with water. Leaves **non-greasy thin film which passivates surfaces for up to 3 weeks indoor.** Allows subsequent painting or welding process without rinsing. For use in immersion or spray systems. Very economical.

Dilution: 2-10% at 80°C
Colour: pale straw, **pH (1%):** 8.5 ± 0.3



O-0841-02 (FKA A-4320-02) | 25L

ENGINE CARE



9082 QUIK-SOL Surface Renovator

Powerful alkaline renovator, blend of biodegradable surfactants, safe solvents and corrosion inhibitors, formulated to quickly emulsifies grease, oil, grime and industrial soil. For engines, chassis, wheels, components, truck terminals, hangars, floors etc. **Non-corrosive.** Safe for all surfaces. For automatic machines. **Non-flammable.**

Dilution: up to 1:20, **Colour:** Purple
pH (10%): > 12



O-9082-J1	Jerry Can 4 x 5L
O-9082-O2	25L
O-9082-U2	205L

8370 EMSOL Emulsifiable Solvent Degreaser

Concentrated solvent degreaser, blend of aromatic solvents and biodegradable surfactants, formulated for the removal of heavy soils, fuel oils, tars, heavy greases and tenacious lubricants. For engines, chassis, forklift, trucks, generators, mechanical components. **Safe on metals,** concrete and most paints. Care to be taken on certain paint, plastic and rubber. **Non-flammable.** **Dilution:** up to 1:8 parts of water, **Colour:** Pale Yellow



A-8370-O2	25L
------------------	-----

8771 CARBOSOLV Immersion Decarboniser

Highly potent 2 phases system solvent, designed to remove carbonised oil and grease, epoxy paint, rubber molds, adhesives and synthetic finishes from mechanical components and engine parts. **Safe on all metals.** Inhibited properties to prevent attack to reactive metal. Use as supplied by immersion tank at ambient temperature without agitation. **Non-flammable.** Long lasting efficiency. Economical. **Colour:** Dark yellow



A-8771-O2	25L
------------------	-----

504 SDI NEW Powerful Non-Flammable Solvent

Highly effective industrial degreasing agent, formulated for effective removal of fuel residues, synthetic oils, carbonized greases, tars, gums, varnishes, from surfaces. High evaporation leaving no residue. **Powerful jet spray.** **Non-corrosive.** Care to be taken on plastic materials. For engines blocks, carburetors, hydraulic cylinders, etc. **Saves labour time.**



O-0504-A5	Aerosol 600ML x 12
O-0504-O2	25L

4279 UNICOOL Cooling System Inhibitor

Colour coded nitric based compound, designed to prevent corrosion and scale formation in high performance diesel and conventional engines radiators. Compatible with ethylene glycol antifreeze additives. Will not harm radiator or heat hoses. Significantly extends life of close loop cooling systems.

Dilution: 30 ml / L
Colour: Dark Blue, **pH (1%):** 8.3 ± 0.2

A-4279-O2	25L
------------------	-----

MAINTENANCE DEPOT & WORKSHOP



5411 RAIDER D Industrial Surface Cleaner & Degreaser

All-purpose detergent, blend of biodegradable surfactant and alkalis. Removes dirt, heavy oil & grease from all washable surfaces: concrete, asphalt, terrazzo, ceramic, vinyl, etc. Foaming action, resistance to traffic, leaves a non-slip finish for maximum safety. For workshop, vehicle interiors, floors & walls, machinery, tanks etc. For application by pressure washers, brushes, scrubbers, spray and wipe. **Dilution:** 10-40ML / L, **Colour:** Red
pH (10%): 12.0 ± 0.5



OH-5411-J1	4 x 5L
OH-5411-O2	25L
OH-5411-U1	200L

800 REDUCE 4 High Performance Release Agent

Fast acting penetrating agent, developed for parts exposed to harsh conditions. **Cleans, penetrates, dissolves rust, lubricates and protects.** Provides a water-repellent and phosphate coating. For badly seized assemblies, bolts, nuts, screws, threads, wheel hubs, seized assemblies. Frees corroded parts without thread damage. Contains no silicone. **Non-flammable.** **Colour:** Yellow, **Flash Point:** > 60°C



O-0800-A2	Aerosol 250ML x 12
O-0800-J1	5L x 4

627 CT 41 EP Weatherproof Grease

Adhesive lithium complex grease, for equipment and mechanisms operating under high shear stresses or high loading conditions. Exceptional extreme pressure lubrication, water and heat resistance. Stays in place and protects mechanism from overload and shock. For sleeve, fifth wheel, wheel bearings, slide, telescopic booms, construction and mining vehicles, etc. **Operating range:** -20°C to +230°C. **NLGI:** 2. **Timken O.K. Load:** 80LB
Colour: Gold / Amber

O-0627-C4	Cartridge 400GM x 10
O-0627-O1	Pail 35Lb

580 ORANGE CREAM Citrus Hand Cleaner

Neutral lotion, blend of citrus oil, biodegradable surfactants and polymeric beads which combines effective cleaning with gentle rubbing action. Removes the toughest grease, oils, grime, soot and inks. Contains glycerin to hydrate hands. Pleasant perfume. Contains no petroleum solvents. For all workshops and garages etc.

O-0580-J0	3.8L x 4
------------------	----------

575 ULTRA CLEAN WIPES Hands and Surfaces Wipes

Wipes impregnated with a natural plant extract solution, designed for effective degreasing of hands, tools and equipment heavily soiled by oils, greases, inks paints, petrol, tar, and soot. **Cleans hands without water directly on site.** Hypo-allergenic. **Pleasant mandarin scent.**

O-0575-S9	Bucket 70 Wipes
------------------	-----------------

"In a market characterized by a constant stream of transportation products, innovation more than ever is the key to success. Research has always been and will continue to be our strategic priority to safeguard our future."

Since 1942, **APPLIED-ORAPI Group** has been understanding and anticipating the requirements of the transport industry. Providing mechanical and maintenance engineers, technologically Advanced Solutions, to improve process cleaning efficiency to improve process cleaning efficiency and reduction of operation costs without compromising quality and standards.

Conformance

The high quality and manufacturing standards of **APPLIED** products are continually endorsed by major O.E.M. corporations and tested by independent certification bodies, such as: ISO standards - 9001 & 14001, military standards - NATO, US MIL, aeronautic standards - ASNA, AIMS, AMS, BOEING, international standards (BS: British, DIN: German, AFNOR: French), etc. These audits and certifications often award **APPLIED** the top grades, while respecting the standards of high quality in terms of products and technology.

International Network

With a distribution coverage in more than 150 countries and manufacturing facilities in major continents. **ORAPI** is well positioned to provide the necessary local support and expertise resources backed by a global International Organization.

Safety & Environment

ORAPI is committed to ensure safety and developing products that are environmental friendly. Our goal is to provide technological innovations which are safe to the public health and maintaining the quality of the environment at all time.



CONTACT US

ASIA & MIDDLE EAST

- **SINGAPORE**
ORAPI APPLIED (S) PTE LTD
No. 26 Tuas Avenue 13
Singapore 638992
Tel: +65 6265 2888
Fax: +65 6268 6474
E-mail: sin.sales@orapiasia.com
- **MALAYSIA**
ORAPI APPLIED (M) SDN BHD
No. 10, Jalan PJU 3/49 - PJU 3,
Sunway Damansara
47810 Petaling Jaya - Selangor,
Malaysia
Tel: +60-3-7805 3805
Fax: +60-3-7880 5805
E-mail: msia.sales@orapiasia.com
- **THAILAND**
ORAPI APPLIED (T) CO.,LTD
No 55/75 Klonglamjiaik
Road.,Nuanchan, Buengkum,
Bangkok 10230 - Thailand
Tel: +66 2 508 1342
Fax: +66 2 508 1343
Email: thai.sales@orapiasia.com
- **UAE**
ORAPI MIDDLE EAST L.L.C.
729 Business Village Main
Building Block B
PO Box 120509, Dubai
United Arab Emirates
Tél: +971 (0) 42942947
Fax: +971 (0) 42942948
Email: uae.sales@orapiasia.com

PACIFIC

- **AUSTRALIA**
ORAPI PACIFIC PTY LTD
Tel: +613 9701 5373
E-mail: info@viclube.com.au
- **MAURITIUS**
ORAPI PACIFIC CIE LTD
Tel: +230 208 1477
E-mail: admin.prolub@intnet.mu
- **NEW CALEDONIA**
ORAPI PACIFIC SFAC SARL
Tel: +687 25 15 40
E-mail: sfac@sfac.nc
- **SOUTH AFRICA**
ORAPI AFRICA LTD
Tel: +27 11 453 17 13
E-mail: info@orapiafrica.co.za

AMERICAS

- **CANADA**
ORAPI CANADA LTD
Tel: +1 514 735 32 72
E-mail: jeanf@orapi-canada.com
- **MARTINIQUE**
ORAPI MHE
Tel: + 596 77 37 07
E-mail: info@mhe-martinique.com

EUROPE

- **FRANCE**
Worldwide Headquarter
ORAPI FRANCE
Parc Industriel de la Plaine
de l'Ain
225, allée des Cèdres
01150 Saint-Vulbas
Tel: +33 (0)4 74 40 20 20
Fax: +33 (0)4 74 40 20 21
Web: www.orapi.com
E-mail: contact@orapi.com
- **BELGIUM**
ORAPI APPLIED BELGIUM S.A
Tel: +32 2 2800 736
E-mail: sales@orapiapplied.be
- **NORWAY**
ORAPI APPLIED NORWAY
Tel: +47 333 66 000
E-mail: kundeservice@orapi.no
- **UNITED KINGDOM**
ORAPI APPLIED LTD
Tel: +44 121 525 4000
E-mail: info@orapiapplied.com
- **FINLAND**
ORAPI NORDIC OY AB
Tel: +358 9 894 6430
E-mail: sales@orapinordic.net
- **NETHERLAND**
ORAPI APPLIED NEDERLAND B.V
Tel: +31 172 43 72 21
E-mail: sales@orapiapplied.com
- **POLAND**
ORAPI TRANSNET SP. z o.o.
Tel: +48 61 813 86 40
E-mail: mariusz.polkowski@orapi.com
- **SWEDEN**
ORAPI NORDIC OY AB
Tel: +46 18 506 010
E-mail: info@orapi.se
- **ITALY**
ORAPI ITALIA SRL
Tel: +39 06 916 10576
E-mail: info@orapi.it
- **SPAIN**
ORAPI TRANSNET ESPAÑA, SL
Tel: +34 974 480 828
E-mail: adminote@orapi.com

www.orapiasia.com

Follow us on:



ORAPI
GROUP